



 Job Number:
 19-006044

 Report Number:
 19-006044-000

 Report Date:
 06/11/2019

 ORELAP#:
 OR100028

 Purchase Order:
 05/28/19 12:49

This report cannot be used for ODA, OHA or OLCC compliance requirements.

0.359

0.650

Product identity: Laboratory ID:	CBG Flower 19-006044-000	5	Client/Metrc ID: Sample Date:	
		S	Summary	
Water Activity and	Moisture:			
Analyte	Result	Limits		
Moisture (Loss on Dryin	g) 5.98	15.0		

Pesticides:

Water Activity

All analytes passing and less than LOQ.

Terpenes:

Analyte	Percent by weight	Percent of Total	Analyte	Percent by weight	Percent of Total
(-)-Guaiol⁺	0.0280	54.90	a-Bisabolol [†]	0.0230	45.04

Microbiology:

Result	Limits	Analyte	Result	Limits
320,000				
Result	Limits	Analyte	Result	Limits
21,000		Mold	1,100	
	320,000 Result	320,000 Result Limits	320,000 Result Limits Analyte	320,000 Result Limits Analyte Result





 Job Number:
 19-006044

 Report Number:
 19-006044-000

 Report Date:
 06/11/2019

 ORELAP#:
 OR100028

 Purchase Order:
 05/28/19 12:49

This report cannot be used for ODA, OHA or OLCC compliance requirements.

Customer:	FlowerChild
Product identity: Client/Metrc ID: Sample Date:	CBG Flower
Laboratory ID: Relinquished by: Temp:	19-006044-0005 Received By Mail 20.6 °C

Sample Results

Microbiology								
Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Notes
E.coli	< LOQ		cfu/g	10	1904749	06/01/19	AOAC 991.14 (Petrifilm)	Х
Total Coliforms	320,000		cfu/g	10,000	1904749	06/01/19	AOAC 991.14 (Petrifilm)	Х
Mold	1,100		cfu/g	100	1904750	06/01/19	AOAC 2014.05 (RAPID)	Х
Yeast	21,000		cfu/g	1,000	1904750	06/01/19	AOAC 2014.05 (RAPID)	X
Water Activity and Moisture								
Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Notes
Moisture (Loss on Drying)	5.98	15.0	%	0.0500	1904848	05/31/19	AOAC 966.02	
Water Activity	0.359	0.650	aw	0.0300	1904963	06/05/19	AOAC 978.18	





 Job Number:
 19-006044

 Report Number:
 19-006044-000

 Report Date:
 06/11/2019

 ORELAP#:
 OR100028

 Purchase Order:
 Keceived:

 05/28/19 12:49
 12:49

This report cannot be used for ODA, OHA or OLCC compliance requirements.

Pesticides	Method	AOAC	2007.01 & EN	15662 (mod)	Units mg/kg	Batch 1904819	Analy	ze 05/31/19 01:38 PM
Analyte	Result	Limits	s LOQ Status	Notes	Analyte	Result	Limits	LOQ Status Notes
Abamectin	< LOQ	0.50	0.250 pass		Acephate	< LOQ	0.40	0.250 pass
Acequinocyl	< LOQ	2.0	1.00 pass		Acetamiprid	< LOQ	0.20	0.100 pass
Aldicarb	< LOQ	0.40	0.200 pass		Azoxystrobin	< LOQ	0.20	0.100 pass
Bifenazate	< LOQ	0.20	0.100 pass		Bifenthrin	< LOQ	0.20	0.100 pass
Boscalid	< LOQ	0.40	0.100 pass		Carbaryl	< LOQ	0.20	0.100 pass
Carbofuran	< LOQ	0.20	0.100 pass		Chlorantranilip	role < LOQ	0.20	0.100 pass
Chlorfenapyr	< LOQ	1.0	0.500 pass		Chlorpyrifos	< LOQ	0.20	0.100 pass
Clofentezine	< LOQ	0.20	0.100 pass		Cyfluthrin (incl.	. < LOQ	1.0	0.500 pass
Cypermethrin	< LOQ	1.0	0.500 pass		Daminozide	< LOQ	1.0	0.500 pass
Diazinon	< LOQ	0.20	0.100 pass		Dichlorvos	< LOQ	1.0	0.500 pass
Dimethoate	< LOQ	0.20	0.100 pass		Ethoprophos	< LOQ	0.20	0.100 pass
Etofenprox	< LOQ	0.40	0.200 pass		Etoxazole	< LOQ	0.20	0.100 pass
Fenoxycarb	< LOQ	0.20	0.100 pass		Fenpyroximate	e < LOQ	0.40	0.200 pass
Fipronil	< LOQ	0.40	0.200 pass		Flonicamid	< LOQ	1.0	0.400 pass
Fludioxonil	< LOQ	0.40	0.200 pass		Hexythiazox	< LOQ	1.0	0.400 pass
Imazalil	< LOQ	0.20	0.100 pass		Imidacloprid	< LOQ	0.40	0.200 pass
Kresoxim-methyl	< LOQ	0.40	0.200 pass		Malathion	< LOQ	0.20	0.100 pass
Metalaxyl	< LOQ	0.20	0.100 pass		Methiocarb	< LOQ	0.20	0.100 pass
Methomyl	< LOQ	0.40	0.200 pass		MGK-264	< LOQ	0.20	0.100 pass
Myclobutanil	< LOQ	0.20	0.100 pass		Naled	< LOQ	0.50	0.250 pass
Oxamyl	< LOQ	1.0	0.500 pass		Paclobutrazole	e < LOQ	0.40	0.200 pass
Parathion-Methyl	< LOQ	0.20	0.200 pass		Permethrin	< LOQ	0.20	0.100 pass
Phosmet	< LOQ	0.20	0.100 pass		Piperonyl buto	xide < LOQ	2.0	1.00 pass
Prallethrin	< LOQ	0.20	0.100 pass		Propiconazole	< LOQ	0.40	0.200 pass
Propoxur	< LOQ	0.20	0.100 pass		Pyrethrin I (tota	al) < LOQ	1.0	0.500 pass
Pyridaben	< LOQ	0.20	0.100 pass		Spinosad	< LOQ	0.20	0.100 pass
Spiromesifen	< LOQ	0.20	0.100 pass		Spirotetramat	< LOQ	0.20	0.100 pass
Spiroxamine	< LOQ	0.40	0.200 pass		Tebuconazole	< LOQ	0.40	0.200 pass
Thiacloprid	< LOQ	0.20	0.100 pass		Thiamethoxam	< LOQ	0.20	0.100 pass
Trifloxystrobin	< LOQ	0.20	0.100 pass					

- - -





 Job Number:
 19-006044

 Report Number:
 19-006044-000

 Report Date:
 06/11/2019

 ORELAP#:
 0R100028

 Purchase Order:
 V


 Received:
 05/28/19 12:49

This report cannot be used for ODA, OHA or OLCC compliance requirements.

Terpenes	Method		C 2015 V98-6	;	Units % Batch 19	904871	Analyz	ze 06/03/19	10:31 AM
Analyte	Result	LOQ	% of Total	Notes	Analyte	Result	LOQ	% of Total	Notes
(-)-Guaiol⁺	0.0280	0.020	54.90%		a-Bisabolol [†]	0.0230	0.020	45.04%	
(-)-a-Terpineol [†]	< LOQ	0.020	0.00%		(-)-caryophyllene oxide [†]	< LOQ	0.020	0.00%	
(-)-Isopulegol [†]	< LOQ	0.020	0.00%		(-)-ß-Pinene⁺	< LOQ	0.020	0.00%	
(+)-Borneol⁺	< LOQ	0.020	0.00%		(+)-Cedrol [†]	< LOQ	0.020	0.00%	
(+)-fenchol [†]	< LOQ	0.020	0.00%		(+)-Pulegone [†]	< LOQ	0.020	0.00%	
(±)-Camphor [†]	< LOQ	0.020	0.00%		(±)-cis-Nerolidol [†]	< LOQ	0.020	0.00%	
(±)-fenchone [†]	< LOQ	0.020	0.00%		(±)-trans-Nerolidol [†]	< LOQ	0.020	0.00%	
(R)-(+)-Limonene [†]	< LOQ	0.020	0.00%		a-cedrene [†]	< LOQ	0.020	0.00%	
a-phellandrene [†]	< LOQ	0.020	0.00%		a-pinene [†]	< LOQ	0.020	0.00%	
a-Terpinene [†]	< LOQ	0.020	0.00%		Camphene [†]	< LOQ	0.020	0.00%	
cis-ß-Ocimene [†]	< LOQ	0.006	0.00%		d-3-Carene [†]	< LOQ	0.020	0.00%	
Eucalyptol [†]	< LOQ	0.020	0.00%		farnesenet	< LOQ	0.020	0.00%	
gamma-Terpinene [†]	< LOQ	0.020	0.00%		Geraniol [†]	< LOQ	0.020	0.00%	
Geranyl acetate [†]	< LOQ	0.020	0.00%		Humulene [†]	< LOQ	0.020	0.00%	
Isoborneol [†]	< LOQ	0.020	0.00%		Linalool [†]	< LOQ	0.020	0.00%	
Menthol [†]	< LOQ	0.020	0.00%		nerol†	< LOQ	0.020	0.00%	
p-Cymene [†]	< LOQ	0.020	0.00%		Sabinene [†]	< LOQ	0.020	0.00%	
Sabinene hydrate [†]	< LOQ	0.020	0.00%		ß-Caryophyllene [↑]	< LOQ	0.020	0.00%	
ß-Myrcene⁺	< LOQ	0.020	0.00%		Terpinolene [†]	< LOQ	0.020	0.00%	
trans-ß-Ocimene [†]	< LOQ	0.013	0.00%		valencenet	< LOQ	0.020	0.00%	

Total Terpenes

0.05



Page 4 of 16





 Job Number:
 19-006044


 Report Number:
 19-006044-000

 Report Date:
 06/11/2019

 ORELAP#:
 OR100028

 Purchase Order:
 05/28/19 12:49

This report cannot be used for ODA, OHA or OLCC compliance requirements.









 Job Number:
 19-006044

 Report Number:
 19-006044-000

 Report Date:
 06/11/2019

 ORELAP#:
 OR100028

 Purchase Order:
 Keceived:

 Received:
 05/28/19 12:49

This report cannot be used for ODA, OHA or OLCC compliance requirements.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220 Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

[†] = Analyte not NELAP accredited.

Units of Measure

cfu/g = Colony forming units per gram mg/kg = Milligram per kilogram = parts per million (ppm) % = Percentage of sample aw = Water Activity % wt = μg/g divided by 10,000 *Glossary of Qualifiers*

X: Not ORELAP accredited.

Approved Signatory

Derrick Tanner General Manager

Page 6 of 16





Job Number: 19-006044 **Report Number:** 19-006044-000 **Report Date:** 06/11/2019 **ORELAP#:** OR100028 Purchase Order: **Received:** 05/28/19 12:49

This report cannot be used for ODA, OHA or OLCC compliance requirements.

Company: Flowers	Child	.503-254-1794		1	1	1	1	Ana	lysis I	/ Rec Reque				ourchase Order Number	:
Contact: KeVIN								60	et a		FlowerChild			Project Number:	
Address:	-11							2	tolatio					Project Name:	
Email: <u>2406 KCR</u> Phone: <u>541 – 3</u> Processor's License: <u>M</u>	A	<u>"mnil.co</u> r 68	Pesticides	Potency	Residual Solvents	Water Activity	Moisture	Terpenes A C V& Mold	Microbiology Clovi	Metals				Report Instructions: Send to State - METF Email Final Results: Fax Final Results Cash/Check/CC/Net Other:	
Field ID	Da	ate/Time Collected	Pes	Pot	Res	Wa	Mo	Ter	Mic	Me	Matrix	Weight	Serving size for edibles	Comments/Metrc ID	Con
CBB 700				\times	\times		×.	X							
CBG 700				\times	\times			\times							
BD SALVE 7	00			\times	\times			\times							
CBD Salve 7 CBD Flower CBG Flower	e		\times			\times	\times	\times	\times	X				Insufficient same	le t
CBG Flower	2		X			×	X	X	×	\times				complete metal	s te
								-	Kpei	- CC	W WI	Kevin	BM.		6/1)
Collected By:	Relinc	quished By:		Date	Ti	me		Receiv	ed By:		Date	Time		Labs Use Only:	
🕱 Standard 5 day							Jr	nl)		5-28-19	12:47		Client Alias:	
Rush (1.5 x Standard)														Order Number:	
Priority Rush (2 x Standard)														Proper Container Sample Condition	
Ask About Availability														Temperature 2	01
														Evidence of cooling:	
SUBMISSION OF SAMPLES WIT	TH TESTING REC	QUIREMENTS TO I	PIXIS W	ILL BE UI	NDERST	DOD TO	BE AN A	GREEME	NT FOR	SERVICE	S IN ACCORDANC	E WITH THE C	ONDITIONS LISTE	DON THE BACK OF THIS FOR	м
													unginou	COC-emailed to It for signature	
													Cuer	in the origination	
Revision: 0.00 Control#: CF023 Effective: 04/20/2018 Revised: 04/20	0/2018					N	www.pix	islabs.co	m					Pag	je 2 of
															111





 Job Number:
 19-006044

 Report Number:
 19-006044-000

 Report Date:
 06/11/2019

 ORELAP#:
 0R100028

 Purchase Order:
 Keceived:

 Received:
 05/28/19 12:49

.

This report cannot be used for ODA, OHA or OLCC compliance requirements.

2423 NE Whitaker Way Portland OR Company: Flowers, Ch			T					of Cu	alysis	-				Member of Tentamus (3)	
Company: Flower Ch	1100			T	1	1	1	Ana		Requ	ested			Purchase Order Numb	er:
Contact: KeVIN			1					e.						Project Number:	
Address:	1 6	./												Project Name:	
14.11	hotmi		91												
Phone: 541 - 5 B	4-68	72			ts			1						Report Instructions Send to State - MET	
Processor's License:					ven	Ę			~					Email Final Results:	, inc
License//A	5		S		Sol	ctiv			log					Fax Final Results	
			cide	Joc	ual	r A	ture	Sue	bio	S				Cash/Check/CC/Net Other:	: 30
Field ID	Date/Tim	e Collected	Pesticides	Potency	Residual Solvents	Water Activity	Moisture	Terpenes	Microbiology	Metals	Matrix	Weight	Serving size	Comments/Metrc ID	Cont #'
0 + ./		T	<u>a</u>	<u> </u>	~	5	2		2	Σ		, weight	for edibles	Comments/Wetrc ID	Conc # :
BB 700				X	X			\times							
BG 700		ļ		X	\times			X							
BD SALVE 700				\times	\times			\times							
BD Flower			\times			X	\times		X	X					
BG Flower			\times			X	X		×	\times					
х.								а. С							
Collected By:	Belinquishe	d By:		Date	Tin	nenn	, I	Receive	ed By:		Date	Time		Labs Use Only:	
Standard 5 day	en 10	chu	-5/2	13/19	22	60 -	Tr	1	1		5-28-19	12:47		Client Alizza	~
Rush (1.5 x Standard)	l		1	7			~				0 10 11			Client Alias:	
Priority Rush (2 x tandard)			-						*******					Order Number:	
sk About Availability														Sample Condition	0.6
														Temperature	5
							1								
SUBMISSION OF SAMPLES WITH TEST	ING REQUIREM	ENTS TO P	XIS WIL	L BE UN	DERSTO	OD TO B	E AN AG	REEMEN	VT FOR S	ERVICES	IN ACCORDANCE	WITH THE CO	NDITIONS LISTER	Evidence of cooling: Ye	S LHA
													Upde	ated COC w/ sig	man
													,		
ision: 0.00 Control#: CF023															
ctive: 04/20/2018 Revised: 04/20/2018						w	ww.pixisl	labs.com	1					Page	ZofA
															1 of





Job Number: 19-006044 **Report Number: Report Date:** 06/11/2019 **ORELAP#:** OR100028 Purchase Order: **Received:**

19-006044-000

05/28/19 12:49

This report cannot be used for ODA, OHA or OLCC compliance requirements.

(Columbia Food/Pixis Labs LABORATORIES ATentamus company Columbia Food/Pixis Labs Sample Receipt Form
Joł	Number: 17-0010000 Search Name: Flower Child
Pac	ckage/Cooler opened on (if different than received date/time) Date: 5-28-19 Time: 12:49
Re	ceived By (Initials):
1)	Were custody seals on outside of the package/cooler? YES NO NA
	Were signature and date correct?YES NO
2)	Were custody papers included in the package/cooler? YES NO NA
3)	Were custody papers properly filled out (ink, sign, date)? YES NA
4)	Did you sign custody papers in the appropriate place?
5)	How was the package/cooler delivered?
	UPS FEDEX USPS CLIENT COURIER OTHER:
	Tracking Number (written in or copy of shipping label): 9400 1118 9956 1870 4171
6)	Was packing material used? YES NO NA
	Peanuts Bubble Wrap Foam Paper Other:
7)	Was sufficient ice used (if appropriate)? YES NO NA What kind?
	Blue Ice Cooler Packs Dry Ice
8)	Were all sample containers sealed in separate plastic bags? NO NA
9)	Did all sample containers arrive in good condition?
10)	Were all sample container labels complete? YES NO NA
11)	Did all sample container labels and tags agree with the coc? VES NO NA
12)	Were correct sample containers used for the tests indicated? VES NO NA
13)	Were VOA vials checked for absence of air bubbles (note if found)? YES NO
14)	Was a sufficient amount of sample sent in each sample container? YES NO NA
15)	Temperature of the samples upon receipt (See SOP for proper temps)
16)	Sample location prior to login: R25 R39 R44 F44 Ambient Shelf Cannabis Table Other:
Exp	plain any discrepancies:

Page 9 of 16





Job Number: 19-006044 **Report Number:** 19-006044-000 **Report Date:** 06/11/2019 **ORELAP#:** OR100028 **Purchase Order: Received:** 05/28/19 12:49

This report cannot be used for ODA, OHA or OLCC compliance requirements.

Revision: 0.01 Control: CFL-C22

AOAC 2007.1 & EN	15662	Units	s: mg/Kg		Batch ID: 1904819					
Method Blank				Laboratory Co	ntrol Sam	ole				
Analyte	Blank Result	Blank Limits	Notes	LCS Result	LCS Spike	LCS % Rec	Limits	Notes		
Acephate	ND	< 0.200	1	0.849	1.000	84.9	70 - 130	T		
Acequinocyl	ND	< 1.000	1	3.500	4.000	87.5	70 - 130	1		
Acetamiprid	ND	< 0.100	1	0.360	0.400	90.0	70 - 130	1		
Aldicarb	ND	< 0.200	+	0.642	0.800	80.3	70 - 130	1		
Abamectin	ND	< 0.288	-	0.903	1.000	90.3	70 - 130	-		
Azoxystrobin	ND	< 0.100	+	0.368	0.400	92.0	70 - 130	+		
Bifenazate	ND	< 0.100		0.356	0.400	89.0	70 - 130	-		
Bifenthrin	ND	< 0.100		0.360	0.400	90.0	70 - 130	-		
Boscalid	ND	< 0.100	-	0.701	0.800	87.6	70 - 130	-		
Carbaryl	ND	< 0.100	+	0.361	0.400	90.3	70 - 130	<u> </u>		
Carbofuran	ND	< 0.100		0.368	0.400	92.0	70 - 130	-		
Chlorantraniliprol	ND	< 0.100		0.340	0.400	85.0	70 - 130	-		
Chlorfenapyr	ND	< 1.000		1.760	2.000	88.0	70 - 130	<u> </u>		
Chlorpyrifos	ND ND	< 0.100		0.367	0.400	91.8 74.3		<u> </u>		
Clofentezine	0.075	< 0.100			0.400	0.000000	70 - 130	-		
Cyfluthrin	ND	< 1.000		1.950	2.000	97.5	30 - 150	-		
Cypermethrin	ND	< 1.000		1.800	2.000	90.0	70 - 130	-		
Daminozide	ND	< 1.000	1	0.726	2.000	36.3	30 - 150	-		
Diazinon	ND	< 0.100		0.368	0.400	92.0	70 - 130	1		
Dichlorvos	ND	< 0.500		1.870	2.000	93.5	70 - 130			
Dimethoat	ND	< 0.100		0.347	0.400	86.8	70 - 130			
Ethoprophos	ND	< 0.100		0.356	0.400	89.0	70 - 130	1		
Etofenprox	ND	< 0.100	1	0.716	0.800	89.5	70 - 130	1		
Etoxazol	ND	< 0.100	1	0.361	0.400	90.3	70 - 130	1		
Fenoxycarb	ND	< 0.100	1	0.345	0.400	86.3	70 - 130	1		
enpyroximat	ND	< 0.100	1	0.724	0.800	90.5	70 - 130	1		
Fipronil	ND	< 0.100	1	0.712	0.800	89.0	70 - 130	1		
Flonicamid	ND	< 0.400	1	0.862	1.000	86.2	70 - 130	1		
Iudioxonil	ND	< 0.100	1	0.689	0.800	86.1	70 - 130			
Hexythiazox	ND	< 0.400		0.935	1.000	93.5	70 - 130	1		
mazalil	ND	< 0.100	1	0.386	0.400	96.5	70 - 130	1		
midacloprid	ND	< 0.200	1	0.668	0.800	83.5	70 - 130	1		
Kresoxim-Methyl	ND	< 0.100	-	0.729	0.800	91.1	70 - 130	1		
Malathion	ND	< 0.100		0.358	0.400	89.5	70 - 130	-		
Vietalaxyl	ND	< 0.100		0.353	0.400	88.3	70 - 130			
Methiocarb	ND	< 0.100		0.334	0.400	83.5	70 - 130	-		
Methomyl	ND	< 0.200		0.712	0.400	89.0	70 - 130	L		
MGK 264	ND	< 0.100		0.368	0.800	92.0	70 - 130	-		
	0.000		-					L		
Myclobutanil	ND	< 0.100		0.345	0.400	86.3		L		
Naled	ND	< 0.200	1	0.859	1.000	85.9	70 - 130	-		
Dxamyl	ND	< 0.400	1	1.790	2.000	89.5	70 - 130			
Paclobutrazol	ND	< 0.200		0.707	0.800	88.4	70 - 130	1		
Parathion Methyl	ND	< 0.200		0.736	0.800	92.0	30 - 150			
Permethrin	ND	< 0.100		0.341	0.400	85.3	70 - 130			
Phosmet	ND	< 0.100		0.346	0.400	86.5	70 - 130			
Piperonyl butoxide	ND	< 1.000	1	1.720	2.000	86.0	70 - 130	1		
Prallethrin	ND	< 0.200		0.362	0.400	90.5	70 - 130	1		
Propiconazole	ND	< 0.200		0.717	0.800	89.6	70 - 130	1		
ropoxur	ND	< 0.100	1	0.357	0.400	89.3	70 - 130	1		
Pyrethrins	ND	< 0.500		0.248	0.284	87.3	70 - 130	1		
Pyridaben	ND	< 0.100	1	0.366	0.400	91.5	70 - 130	1		
pinosad	ND	< 0.100	1	0.380	0.388	97.9	70 - 130	1		
piromesifen	ND	< 0.100	-	0.364	0.400	91.0	70 - 130	+		
pirotetramat	ND	< 0.100		0.334	0.400	83.5	70 - 130	-		
piroxamine	ND	< 0.100	-	0.730	0.400	91.3	70 - 130	-		
ebuconazol	ND	< 0.200	-	0.690	0.800	86.3	70 - 130	-		
	ND		-	0.690	0.800		70 - 130	-		
hiacloprid	213733 B	< 0.100	-		10 COL 10 COL 10	88.5		L		
Thiamethoxam	ND ND	< 0.100	1	0.291 0.351	0.400	72.8 87.8	70 - 130	1		

Revised: 12/4/2018 Effective: 12/4/2018

Page 10 of 16





Job Number: 19-006044 **Report Number:** 19-006044-000 **Report Date:** 06/11/2019 **ORELAP#:** OR100028 **Purchase Order: Received:** 05/28/19 12:49

This report cannot be used for ODA, OHA or OLCC compliance requirements.

Revision: 0.01 Control: CFL-C22

AOAC 2007.1 & EN 1	5662		Units:	mg/Kg				Batch	ID: 19048	319
	all paints - 1	ate Deee	And Constant			6	and a ID.			
Matrix Spike/Matrix Analyte	Spike Dupin Result	MS Res	MSD Res	Spike	Dr	50%	MS % Rec	19-00604 MSD % Rec	Limits	Notes
Acephate	0.092	0.942	0.947	1.000	0.5	< 30	85.0	85.5	50 - 150	Notes
Acequinocyl	0.188	4.240	4.490	4.000	5.7	< 30	101.3	107.6	50 - 150	
Acetamiprid	0.000	0.370	0.371	0.400	03	< 30	92.5	92.8	50 - 150	
Aldicarb	0.000	0.687	0.571	0.400	0.5	< 30	85.9	85.4	50 - 150	-
Abamectin	0.000	0.912	0.085	1.000	0.0	< 30	91.2	91.6	50 - 150	-
Azoxystrobin	0.007	0.405	0.310	0.400	1.2	< 30	99.5	98.2	50 - 150	-
Bifenazate	0.007	0.405	0.396	0.400	3.9	< 30	99.3	99.0	50 - 150	
Bifenthrin	0.000	0.381	0.396	0.400	3.3	< 30	93.2	96.4	50 - 150	I
	1000 m m m				1.27.572	< 30	93.2	96.4	50 - 150	<u> </u>
Boscalid	0.005	0.763	0.780	0.800	2.2	< 30	94.8	96.9	50 - 150	<u> </u>
Carbaryl		0.389								-
Carbofuran	0.000	0.414	0.405	0.400	2.2	< 30	103.5	101.3	50 - 150	L
Chlorantraniliprol	0.000	0.335	0.348	0.400	3.8	< 30	83.8	87.0	50 - 150	I
hlorfenapyr	0.000	1.720	1.870	2.000	8.4	< 30	86.0	93.5	50 - 150	
Chlorpyrifos	0.062	0.524	0.536	0.400	2.3	< 30	115.6	118.6	50 - 150	
Clofentezine	0.009	0.273	0.277	0.400	1.5	< 30	66.1	67.1	50 - 150	L
Cyfluthrin	0.071	1.440	1.490	2.000	3.4	< 30	68.5	71.0	30 - 150	
Cypermethrin	0.013	2.090	2.070	2.000	1.0	< 30	103.8	102.8	50 - 150	
Daminozide	0.017	0.728	0.734	2.000	0.8	< 30	35.5	35.8	30 - 150	
Diazinon	0.000	0.345	0.353	0.400	2.3	< 30	86.3	88.3	50 - 150	
Dichlorvos	0.000	2.100	2.060	2.000	1.9	< 30	105.0	103.0	50 - 150	
Dimethoat	0.004	0.365	0.366	0.400	0.3	< 30	90.3	90.6	50 - 150	1
thoprophos	0.003	0.387	0.382	0.400	1.3	< 30	96.0	94.7	50 - 150	1
tofenprox	0.020	0.793	0.789	0.800	0.5	< 30	96.6	96.1	50 - 150	1
toxazol	0.000	0.416	0.421	0.400	1.2	< 30	104.0	105.3	50 - 150	
enoxycarb	0.000	0.364	0.359	0.400	1.4	< 30	91.0	89.8	50 - 150	1
enpyroximat	0.010	0.840	0.820	0.800	2.4	< 30	103.8	101.3	50 - 150	1
ipronil	0.000	0.738	0.714	0.800	3.3	< 30	92.3	89.3	50 - 150	
Ionicamid	0.000	0.870	0.869	1.000	0.1	< 30	87.0	86.9	50 - 150	l –
ludioxonil	0.000	0.711	0.826	0.800	15.0	< 30	88.9	103.3	50 - 150	-
lexythiazox	0.000	2.170	2.200	1.000	1.4	< 30	217.0	220.0	50 - 150	Q
mazalil	0.000	0.412	0.404	0.400	2.0	< 30	103.0	101.0	50 - 150	-
midacloprid	0.000	0.690	0.687	0.800	0.4	< 30	86.3	85.9	50 - 150	I
Kresoxim-Methyl	0.000	0.648	0.648	0.800	0.0	< 30	81.0	81.0	50 - 150	
Malathion	0.002	0.419	0.048	0.400	1.9	< 30	104.3	102.3	50 - 150	-
Vialaction	0.002	0.410	0.405	0.400	1.3	< 30	104.5	102.3	50 - 150	-
Vietaiaxyi	0.000	0.410	0.403	0.400	2.7	< 30	90.6	88.1	50 - 150	I
Vethomyl	0.016	0.576	0.506	0.400	0.7	< 30	86.4	87.0	50 - 150	I
					2137					L
MGK 264	0.012	0.381	0.390	0.400	2.3	< 30	92.2	94.4	50 - 150	L
Myclobutanil	0.001	0.383	0.378	0.400	1.3	< 30	95.5	94.3	50 - 150	
Naled	0.045	0.914	0.937	1.000	2.5	< 30	86.9	89.2	50 - 150	1
Dxamyl	0.000	1.770	1.780	2.000	0.6	< 30	88.5	89.0	50 - 150	
Paclobutrazol	0.000	0.744	0.733	0.800	1.5	< 30	93.0	91.6	50 - 150	
Parathion Methyl	0.013	0.792	0.820	0.800	3.5	< 30	97.3	100.8	30 - 150	
Permethrin	0.012	0.345	0.375	0.400	8.3	< 30	83.2	90.7	50 - 150	
Phosmet	0.005	0.362	0.365	0.400	0.8	< 30	89.3	90.0	50 - 150	
Piperonyl butoxide	0.048	1.850	2.030	2.000	9.3	< 30	90.1	99.1	50 - 150	
Prallethrin	0.012	0.550	0.556	0.400	1.1	< 30	134.6	136.1	50 - 150	1
Propiconazole	0.000	0.724	0.725	0.800	0.1	< 30	90.5	90.6	50 - 150	
ropoxur	0.006	0.397	0.394	0.400	0.8	< 30	97.8	97.0	50 - 150	1
yrethrins	0.001	0.296	0.305	0.284	3.0	< 30	104.0	107.2	50 - 150	1
yridaben	0.008	0.531	0.536	0.400	0.9	< 30	130.7	132.0	50 - 150	
pinosad	0.000	0.349	0.361	0.388	3.4	< 30	89.9	93.0	50 - 150	1
piromesifen	0.005	0.867	0.895	0.400	3.2	< 30	215.6	222.6	50 - 150	Q
pirotetramat	0.000	0.342	0.333	0.400	2.7	< 30	85.5	83.3	50 - 150	1
piroxamine	0.000	0.822	0.806	0.800	2.0	< 30	102.8	100.8	50 - 150	-
ebuconazol	0.000	0.755	0.800	0.800	1.7	< 30	94.4	92.8	50 - 150	-
hiacloprid	0.000	0.733	0.742	0.400	0.3	< 30	94.4	94.8	50 - 150	-
hiamethoxam	0.000	0.378	0.379	0.400	0.3	< 30	872	94.8 86.7	50 - 150	-
rifloxystrobin	0.009	0.358	0.356	0.400	0.6	< 30	96.7	86.7 96.0	50 - 150	1

Revised: 12/4/2018 Effective: 12/4/2018

Page 11 of 16





 Job Number:
 19-006044

 Report Number:
 19-006044-000

 Report Date:
 06/11/2019

 ORELAP#:
 OR100028

 Purchase Order:
 Keceived:

 05/28/19 12:49
 12:49

This report cannot be used for ODA, OHA or OLCC compliance requirements.

Laboratory Quality Control Results									
Moisture AOAC 9	66.02								
Laboratory Contro	Laboratory Control Sample								
Analyte	Result		Spike	Units	% Rec	Limits	Accept/Fail	Notes	
Moisture	99.84		99.86	%	100.0	90 - 110	Acceptable		
Method Blank									
Analyte	Result		LOQ	Units		Limit	Accept/Fail	Notes	
Moisture	ND		0.1	%		< 0.1	Acceptable		
Sample Duplicate			Sample ID: 19-006044-0004						
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Accept/Fail	Notes	
Moisture	8.9	8.7	0.1	%	2.2	< 5	Acceptable		

Abbreviations

ND - None Detected at or above MRL

RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Units of Measure:

Aw- Water Activity Unit

% - Percent

Page 12 of 16





 Job Number:
 19-006044

 Report Number:
 19-006044-000

 Report Date:
 06/11/2019

 ORELAP#:
 OR100028

 Purchase Order:
 Keceived:

 05/28/19 12:49
 12:49

This report cannot be used for ODA, OHA or OLCC compliance requirements.

	La	boratory 1	erpene	Quality C	ontrol Res	ults			
EPA 5035		Batch ID: 1904							1
Method Blank		Laboratory Control Sample							
Analyte	Result	Blank	Notes	Result	LCS Spike	Units	LCS % Rec	Limits	Notes
a-pinene	ND	< 200		586	500	μg/g	117	70 - 130	
Camphene	ND	< 200		533	500	μg/g	107	70 - 130	
Sabinene	ND	< 200		576	500	μg/g	115	70 - 130	
b-Pinene	ND	< 200		570	500	µg/g	114	70 - 130	
b-Myrcene	ND	< 200		542	500	µg/g	108	70 - 130	
a-phelllandrene	ND	< 200		571	500	µg/g	114	70 - 130	
d-3-Carene	ND	< 200		548	500	μg/g	110	70 - 130	
a-Terpinene	ND	< 200		630	500	µg/g	126	70 - 130	
p-Cymene	ND	< 200		532	500	μg/g	106	70 - 130	
D-Limonene	ND	< 200		583	500	μg/g	117	70 - 130	
Eucalyptol	ND	< 200		532	500	µg/g	106	70 - 130	
b-cis-Ocimene	ND	< 66.7		154	167	µg/g	92.5	70 - 130	
b-trans-Ocimene	ND	< 133		373	333	µg/g	112	70 - 130	
g-Terpinene	ND	< 200		584	500	µg/g	117	70 - 130	
Sabinene Hydrate	ND	< 200		595	500	µg/g	119	70 - 130	
Terpinolene	ND	< 200		605	500	µg/g	121	70 - 130	
D-Fenchone	ND	< 200		598	500	µg/g	120	70 - 130	
Linalool	ND	< 200		557	500	µg/g	111	70 - 130	
Fenchol	ND	< 200		606	500	µg/g	121	70 - 130	
Camphor	ND	< 200		524	500	µg/g	105	70 - 130	
Isopulego	ND	< 200		502	500	µg/g	100	70 - 130	
Isoborneol	ND	< 200		492	500	µg/g	98.4	70 - 130	
Borneol	ND	< 200		611	500	µg/g	122	70 - 130	
DL-Menthol	ND	< 200		518	500	µg/g	104	70 - 130	
Terpineol	ND	< 200		373	500	µg/g	74.6	70 - 130	
Nerol	ND	< 200		494	500	µg/g	98.8	70 - 130	
Pulegone	ND	< 200		637	500	µg/g	127	70 - 130	
Gereniol	ND	< 200		581	500	µg/g	116	70 - 130	
Geranyl Acetate	ND	< 200		529	500	µg/g	106	70 - 130	
a-Cedrene	ND	< 200		614	500	µg/g	123	70 - 130	
b-Caryophyllene	ND	< 200		536	500	µg/g	107	70 - 130	
a-Humulene	ND	< 200		609	500	µg/g	122	70 - 130	
Valenene	ND	< 200		558	500	µg/g	112	70 - 130	
cis-Nerolidol	ND	< 200		573	500	$\mu g/g$	115	70 - 130	
a-Farnesene	ND	< 200		604	500	μg/g	121	70 - 130	
trans-Nerolidol	ND	< 122		623	500	μg/g	125	70 - 130	
Caryophyllene Oxide	ND	< 200		534	500	μg/g	107	70 - 130	
Guaiol	ND	< 200		629	500	μg/g	126	70 - 130	
Cedrol	ND	< 200		530	500	μg/g	106	70 - 130	
a-Bisabolol	ND	< 200		550	500	μg/g	110	70 - 130	

Page 13 of 16





Job Number:	19-006044
Report Number:	19-006044-000
Report Date:	06/11/2019
ORELAP#:	OR100028
Purchase Order:	
Received:	05/28/19 12:49

This report cannot be used for ODA, OHA or OLCC compliance requirements.

Sample/Sample Dupl			Sample ID: 19-006044-0004					
Analyte	Result	Org. Result	LOQ	Units	RPD, %	Sample Dupli	cate % Limits	Notes
a-pinene	ND	ND	200	μg/g	0	< 20	80 - 120	
Camphene	ND	ND	200	μg/g	0	< 20	80 - 120	
Sabinene	ND	ND	200	µg/g	0	< 20	80 - 120	
b-Pinene	ND	ND	200	µg/g	0	< 20	80 - 120	
b-Myrcene	491.5	431.9	200	µg/g	6.45	< 20	80 - 120	
a-phelllandrene	ND	ND	200	µg/g	0	< 20	80 - 120	
d-3-Carene	ND	ND	200	µg/g	0	< 20	80 - 120	
a-Terpinene	ND	ND	200	µg/g	0	< 20	80 - 120	
p-Cymene	ND	ND	200	µg/g	0	< 20	80 - 120	
D-Limonene	ND	ND	200	µg/g	0	< 20	80 - 120	
Eucalyptol	ND	ND	200	µg/g	0	< 20	80 - 120	
b-cis-Ocimene	ND	ND	66.7	μg/g	0	< 20	80 - 120	
b-trans-Ocimene	ND	ND	133	µg/g	0	< 20	80 - 120	
g-Terpinene	ND	ND	200	µg/g	0	< 20	80 - 120	
Sabinene Hydrate	ND	ND	200	µg/g	0	< 20	80 - 120	
Terpinolene	ND	ND	200	μg/g	0	< 20	80 - 120	
D-Fenchone	ND	ND	200	µg/g	0	< 20	80 - 120	
Linalool	ND	ND	200	µg/g	0	< 20	80 - 120	
Fenchol	ND	ND	200	µg/g	0	< 20	80 - 120	
Camphor	ND	ND	200	µg/g	0	< 20	80 - 120	
Isopulego	ND	ND	200	µg/g	0	< 20	80 - 120	
Isoborneol	ND	ND	200	µg/g	0	< 20	80 - 120	
Borneol	ND	ND	200	μg/g	0	< 20	80 - 120	
DL-Menthol	ND	ND	200	μg/g	0	< 20	80 - 120	
Terpineol	ND	ND	200	µg/g	0	< 20	80 - 120	
Nerol	ND	ND	200	µg/g	0	< 20	80 - 120	
Pulegone	ND	ND	200	µg/g	0	< 20	80 - 120	
Gereniol	ND	ND	200	µg/g	0	< 20	80 - 120	
Geranyl_Acetate	ND	ND	200	µg/g	0	< 20	80 - 120	
a-Cedrene	ND	ND	200	µg/g	0	< 20	80 - 120	
b-Caryophyllene	1465	1264	200	μg/g	7.37	< 20	80 - 120	
a-Humulene	784.1	669.9	200	μg/g	7.85	< 20	80 - 120	
Valenene	ND	162.3	200	μg/g	0	< 20	80 - 120	
cis-Nerolidol	ND	ND	200	µg/g	0	< 20	80 - 120	
a-Farnesene	4674	3921	200	μg/g	8.76	< 20	80 - 120	
trans-Nerolidol	133.3	95.37	122	μg/g	16.6	< 20	80 - 120	
Caryophyllene_Oxide	426.1	348.2	200	µg/g	10.1	< 20	80 - 120	
Guaiol	659.1	532.4	200	µg/g	10.6	< 20	80 - 120	
Cedrol	ND	ND	200	µg/g	0	< 20	80 - 120	
a-Bisabolol	1140	954.5	200	μg/g	8.86	< 20	80 - 120	

Page 14 of 16





 Job Number:
 19-006044

 Report Number:
 19-006044-000

 Report Date:
 06/11/2019

 ORELAP#:
 OR100028

 Purchase Order:
 Keceived:

 05/28/19
 12:49

This report cannot be used for ODA, OHA or OLCC compliance requirements.

Laboratory Quality Control Results								
Water Activity AOAC 978.18								
Laboratory Control Sample								
Analyte	Result		Spike Units % Rec Limits Accept/Fail Notes					
Water Activity	0.501		0.5	Aw	100.2	90 - 110	Acceptable	
Sample Duplicate		Sample ID: 19-006044-0005						
Analyte	Result	Org. Result	LOQ	Units	RPD Limits		Accept/Fail	Notes
Water Activity	0.360	0.359	0.03	Aw	0.3	< 5	Acceptable	

Abbreviations

RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Units of Measure:

Aw - Water Activity Unit

Page 15 of 16





 Job Number:
 19-006044

 Report Number:
 19-006044-000

 Report Date:
 06/11/2019

 ORELAP#:
 OR100028

 Purchase Order:
 Keceived:

 05/28/19 12:49
 12:49

This report cannot be used for ODA, OHA or OLCC compliance requirements.

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

Page 16 of 16